




**Food industry**  
catalogue









# Editorial

Since our creation in 1972, we have always been driven by the pioneering spirit that made us: as a European food packaging specialist, we aim to offer the market innovative and environmentfriendly products, but we also aim to build relationships of trust with our customers based on our professionalism and perfect service. Our customers' satisfaction guides each decision and action we take. This is why the development of our Group is inseparably bound up with strong values that we carry every day, which are excellence, respect, team spirit, and openness to progress and performance. But our greatest wealth above all are our employees brought together around one common company mission that they support with pride and passion.

**All this makes GULLIN a committed and responsible brand with a single mission: protect your food.**

*Sophie Guillin*

CEO – GULLIN Group



# Contents



## 6 Group GUILLIN

Key figures  
What makes us different  
Our commitments  
Prevented Ocean Plastic™  
Our materials  
& their properties  
Our companies

## 24 Solutions for protein products

**Sealable rPET trays**  
MARTIPACK

**Sealable hybrid trays**  
**CARDBOARD/rPET or PP**  
DUALIPACK - FOOD K

**Sealable PP trays**  
MARTIPACK - GASTROPACK  
MARTIPACK Poultry

## 52 Solutions for ready meals

**Sealable PP containers**  
TUSIPACK

**CARDBOARD containers**  
BOWLIPACK

**CARDBOARD poke bowls and PP lids**  
POKEPACK

**Sealable PP trays with compartments,  
plates and bowls**  
MARTIPACK

**Sealable CARDBOARD trays**  
FOOD K

## 68 Solutions Fresh snacks

**Sealable rPET containers**  
DELIPACK - TUSIPACK

**CARDBOARD poke bowls and rPET lids**  
POKEPACK

**Sealable rPET trays,  
bowls and salad dishes**  
RAVIPACK - CRUDIPACK - FRESHIPACK

**Sealable PP containers**  
CRUDIPACK

**CARDBOARD/rPET boxes**  
LUXIFOOD SUSHIS

**rPET boxes**  
DESIPACK MINI - SUSHIPACK

## 90 Index

## 94 Contact Certification



European leader in the manufacture and sales of food packaging, we are at your service to meet your needs. The GUILLIN Group is made of women and men who carry strong values and who work every day to guarantee you the highest level of service.



Group  
GUILLIN







François GUILLIN  
Chairman of the Board of Directors

Sophie GUILLIN  
CEO

Created in 1972, the GUILLIN Group is a family business founded upon the values of a rural area, but focused on innovation and international development:

**Our profession:** designing, manufacturing and marketing innovative packaging solutions through our key business values «quality, range, service»

**Our driving force:** evolving thanks to continuous innovation

**Our ambition:** being the European manufacturer of choice in food packaging solutions and serving its customers, consumers and the planet.

# Key figures about GUILLIN



|                    |                                                     |                                 |
|--------------------|-----------------------------------------------------|---------------------------------|
| 31<br>companies    | 300 brands<br>models patents                        | 10<br>distribution<br>companies |
| 3 000<br>employees | Commercial presence<br>in more than<br>70 countries | 21<br>production sites          |
| 741 M€ Turnover    |                                                     | 21 500 products                 |




# Our difference



## Performance & Service

We have developed a dual industrial and logistics excellence that allows us to offer wide ranges and transform our customers' complex problems into simple solutions in order to provide them with a unique, responsive and flawless service (manufacturing quality, wide ranges, 12,000 products on stock).



## Innovation & Design

Pioneering and innovating since the beginning, we anticipate the future needs that will impact our products (respect for the environment, preservation and protection of food, evolution of lifestyles) and we continuously create new packaging solutions of which design combines aesthetics, quality and functionality, with the objective of improving the final consumer's life.



## Responsible Leadership

We take responsibility for a sustainable leadership by supporting a well-reasoned usage of packaging and by totally integrating them into the circular economy and environmental impact. Right from its design phase, each product has to meet environmental requirements which relate as much to its own features as to the place where it is manufactured in order to reduce transportation emissions.



# Our commitments to the environment

Since 1972, protecting food and the people has been our mission, by creating adapted, evolving and environmental-friendly food packaging solutions: protecting is part of our DNA.

Today, the major subject to be dealt with is global warming, CO<sub>2</sub> emissions and their impact on the planet; this is why our commitment to the environment is focused on one objective, which is producing 100% responsible packaging to keep our carbon footprint to an absolute minimum. Our concern is constantly to reconcile the preservation of the environment and the protection of people, while making sure our actions favour both.




**We limit our  
environmental  
impact**

As supporters of a reasoned use of packaging, we make sure its carbon footprint is as small as possible during its whole life cycle.

For more than 20 years, we have been ecodesigning our packaging, which resulted in a reduction of 40% in weight for some references, also sharply decreasing the transport footprint.

We integrate at least 30% rPET into our PET packaging, which significantly improves its carbon footprint. This percentage may vary depending on the applications and it can reach 100% for some specific ranges. By 2025, we aim to be over 50% in 2025. Cardboard packaging that we manufacture are FSC® certified (they respect sustainable forest management).



**We are  
100% part of  
the circular economy**

All our packaging is recyclable, reusable or compostable. It represents a reliable financial and environmental alternative suitable for all applications. It meets the most stringent criteria for food safety, regulations, protection of food and the environment, reduction of waste and practicality. There are three different categories:



**We commit  
ourselves through  
concrete actions**

We act so that the circular economy, collection, sorting, recycling and composting of our packaging become mass reality and to encourage responsible behaviour.

In parallel, we started PET collection actions on our sites, which regularly mobilise all our employees.

Finally, we invest in our production sites to make them ecofriendly: closedcircuit water use, low-consumption equipment, no air emissions, automatic waste sorting, energy retrieving from our heat systems in order to heat our buildings, no loss of material pellet (involvement in the Clean Sweep® operation / French MORE 2019 label obtained).



# Prevented Ocean Plastic™



Together, let's make plastic its own resource

**Committed since 2020** to saving the oceans, GUILLIN is a Founding Partner of Prevented Ocean Plastic™. We incorporate high quality recycled material in our recyclable packaging, collected from the Indonesian coastline and processed in a socially responsible way, certified by OceanCycle®.

Thanks to this partnership, nearly 1 billion plastic bottles will not end up in the rivers and oceans.

With this strong commitment, we hope to encourage responsible behaviour. If thrown in the right bin, plastic can be collected, sorted and recycled: it becomes its own resource. Together, let's make sure that this happens.




**Nearby 1 billion bottles**  
collected, sorted, processed and  
reintegrated into our packaging



rPET  
PP  
Cardboard  
Hybrid

# Our materials



# & their properties

|           | DEFINITION                                     | ♻️ | ♻️ OR ♻️ | PROPERTIES & USES                             | BEHAVIOUR AT TEMPERATURE |
|-----------|------------------------------------------------|----|----------|-----------------------------------------------|--------------------------|
| PET/rPET* | New and recycled polyethylene terephthalate    | ✓  |          | For cold use<br>Ultratransparent              | -40°C / +60°C            |
| PP        | Polypropylene                                  | ✓  |          | Reheating and keeping warm<br>Microwavable    | -20°C / +120°C           |
| Cardboard | Wood pulp<br>Flat cardboard                    | ✓  | ✓        | Tenue au froid<br>Tenue au chaud              | -20°C / +40°C            |
|           | Corrugated cardboard                           |    |          |                                               | -20°C / +70°C à 100°C    |
| Hybrid    | PP-coated cardboard bases<br>or cardboard base | ✓  |          | Coated cardboard base, PP lid<br>microwavable | -20°C / +120°C           |
|           | Cardboard bases and<br>rPET or PP lids         |    |          | Sealable rPET base                            | -40°C / +60°C            |

\*Items shown as rPET in this catalogue: our PET packaging contains at least 30% rPET and can be recycled.

All our materials are recyclable, compostable or reusable  
Symbols used in this catalogue and on products

cardboard from sustainably managed forests

recyclable product

Industrial composting

eco-designed

reusable

sealable

anti-mist

stackable

positive cold

freezing

deep-freezing

skin

map

optional absorbent pad

sharplak

microwave

conventional oven

color

Info tables from page 26 to 89:  
Non-contractual drawings, photos and colours. The company reserves the right to modify the type of material. See General Sales Conditions page 95.



Transparent.  
Lightweight, durable.  
Hygienic and suitable for food contact.  
Shock and temperature resistant and temperature resistant from  $-40^{\circ}\text{C}$  to  $+60^{\circ}\text{C}$ .  
Recyclable.

## PET/rPET

### The most transparent solution



Why is polyethylene terephthalate such a useful material? It is transparent, impact-resistant, and able to withstand low temperatures. Of course, it is also waterproof and impermeable to gas and aroma components.

PET can be recycled and reused, especially now sorting rules have been simplified.

## PP

### The most versatile solution

Soft and flexible.  
Transparent or available in different colours.  
Microwavable or can withstand reheating temperatures of up to  $120^{\circ}\text{C}$ .  
Recyclable and reusable.



Polypropylene is the most suitable material for reheating food products due to its ability to withstand high temperatures.

It is perfectly suited to recycling using standard sorting and waste recovery channels.

Available in transparent, white or coloured versions. This material is particularly resistant to abrasion and bending.



All products marked as ALTER ECO RECYCLE can be recycled.

## Cardboard and hybrid Cardboard /PET or PP

### The most customisable solution



Lightweight, easy to use.  
Customisable.  
Can be adapted to a range of different constraints (protection, impermeability, contact with food, etc...).  
Recyclable, compostable.

This material consists of several layers of paper made from wood pulp, which is then shaped or folded and may have a film coating on the inside to prevent leaks.

Cardboard has a whole host of aesthetic and mechanical properties, no matter what dimensions you require.

This material is identified in sorting centres. All our products are made from virgin fibres, suitable for use with foodstuffs, and can be recycled in standard paper/cardboard waste streams.



## SHARPLOK



The SHARPLOK system is designed to reduce, or even avoid, the use of an absorbent pad in trays intended for meat, fish and poultry.

Thermoforming is the technology used to create the special reservoirs that are designed to collect any excess juice and drips, thus dispensing with the need for an absorbent pad.

The moisture remains in the cavities thanks to liquid surface tension and capillary action, preventing leaks as a result.

Ongoing market demand to do away with the absorbent pad led to the current design of the SHARPLOK range, based on the packaging's ability to retain more juices.





**A unique concept for food packaging solutions**  
to protect fresh products under safe and hygienic conditions

- Morning goods**  
Cakes and pastries  
Bread and rolls  
Delicatessen  
Ready meals  
Fresh pasta  
Meat
- Poultry**  
Sausages  
Barbecue food  
Desserts  
Cheese  
Frozen food  
Ice cream
- Fish**  
Sushi, shellfish  
Snacks, salad  
Fresh-cut produce  
Antipasti  
Dried fruit

|                                            |                                       |                                                       |
|--------------------------------------------|---------------------------------------|-------------------------------------------------------|
| <b>Packaging<br/>Safety<br/>Protection</b> | <b>For preparation<br/>or cooking</b> | <b>For portioning<br/>and reducing<br/>food waste</b> |
| <b>Ensuring excellent<br/>visibility</b>   | <b>From store<br/>to home</b>         | <b>For serving<br/>at the table<br/>reheating</b>     |
| <b>Makes recycling easier</b>              |                                       |                                                       |

## Our mission

Impeccable quality and service for faultless security.

The GUILLIN Group companies working in the food industry are the premier suppliers to meat (beef and pork) and poultry processors. The biggest brands and producers in the sector place their trust in us.

## What we offer

Our companies' expertise is based around three main elements. First is the large range of PET, PET/PE and PP trays that cover all standard formats in use and all uses. Second is an efficient logistics organisation that allows us to keep 80% of reference articles in stock for next-day or 48-hour delivery. This is a key response rate for industrial producers and hypermarkets and supermarkets. Third is observance of extremely strict production standards, a commitment that is even more essential given the sensitive nature of the products.

Upstream, the Group works with all sealing equipment manufacturers and film suppliers, whatever the material, in order to guarantee that its trays are perfectly suited to all sealing systems. Automation of industrial clients' production lines is considered in the design of our products to ensure that production speeds can be met.

A team of expert engineers is available to help and support with advice in the case of problems or to simply help optimise your system.





## Innovative and responsible **packaging solutions: guaranteed**

Like **MAPTIPACK** classified as ALTER ECO RECYCLE, our eco-designed range of packaging for protein products, made from recyclable mono material, is new to the market, geared to food production lines and safe, while still managing to be environmentally friendly.







Our mono-material solutions offer excellent sealing qualities, guaranteeing that delicate products like cuts of meat or seafood will be fully protected, just as they should be. Our rPET is transparent, perfect for showcasing products, and is ideal for use on self-service counters.

Every material in our range is recyclable: rPET, PP or even cardboard offer a wide selection so you can find the best way to display your products on the shelf, while still guaranteeing optimum protection depending on the various processes used, e.g. MAP or SKIN.

All our packaging is manufactured in Europe and in France, thus reducing its carbon footprint.

We have a large number of standard product ranges, all available in stock.

# Solutions protein products



RESPONSIBLE



ECO-DESIGNED



MAP



SHARPLOK



MADE IN EUROPE



RECYCLABLE



SEALABLE



SKIN



ABSORBENT PAD



# MAPTIPACK

FORMATS 15x23 - 18x25 - 16x36

rPET

The transparent, mono-material solution to protect and showcase your protein products



—MONO—  
MATERIAL



## Features

- Sealable
- MAP
- SKIN (see table)
- Absorbent pad on request
- Positive cold
- Transparent
- Other colours on request

format 15x23

## DESIGN DY sealable trays

|  | DY |            | rPET | 232 x 146 | 13 | 288 | 10 368 | ✓ |   |   |
|--|----|------------|------|-----------|----|-----|--------|---|---|---|
|  | DY | DY1523SK20 | rPET | 232 x 146 | 20 | -   | -      | ✓ |   |   |
|  | DY | DY1523SK27 | rPET | 232 x 146 | 27 | -   | -      | ✓ |   |   |
|  | DY | DY1523H22  | rPET | 232 x 146 | 22 | 640 | 11 520 |   |   | ✓ |
|  | DY | DY1523H32  | rPET | 232 x 146 | 32 | 600 | 10 800 |   |   | ✓ |
|  | DY | DY1523H50  | rPET | 232 x 146 | 50 | 580 | 10 440 |   |   | ✓ |
|  | DY | DY1523H85  | rPET | 232 x 146 | 85 | 580 | 10 440 |   |   | ✓ |
|  | DY | DY1523CL28 | rPET | 232 x 146 | 28 | 580 | 10 440 |   | ✓ |   |
|  | DY | DY1523CL35 | rPET | 232 x 146 | 35 | 580 | 10 440 |   | ✓ |   |
|  | DY | DY1523CL50 | rPET | 232 x 146 | 50 | 580 | 10 440 |   | ✓ |   |
|  | DY | DY1523CL60 | rPET | 232 x 146 | 60 | 580 | 10 440 |   | ✓ |   |





MAPTIPACK

Features


- Sealable
- MAP
- SKIN (see table)
- Absorbent pad on request
- Positive cold
- Transparent
- Other colours on request

rPET

format 18x25

DESIGN DY


MAPTIPACK sealable trays

|                                                                                      | DY | DY1825SK13 | rPET | 252 x 182 | 13 | 160 | 6 720 | ✓ | ✓ |   |
|--------------------------------------------------------------------------------------|----|------------|------|-----------|----|-----|-------|---|---|---|
|   | DY | DY1825SK20 | rPET | 252 x 182 | 20 | -   | -     | ✓ | ✓ |   |
|                                                                                      | DY | DY1825SK27 | rPET | 252 x 182 | 27 | -   | -     | ✓ | ✓ |   |
|                                                                                      | DY | DY1825H32  | rPET | 252 x 182 | 32 | 600 | 7 200 |   |   | ✓ |
|  | DY | DY1825H50  | rPET | 252 x 182 | 50 | 568 | 6 816 |   |   | ✓ |
|                                                                                      | DY | DY1825H66  | rPET | 252 x 182 | 65 | 544 | 6 528 |   |   | ✓ |

format 16x36

OTHER RIBBED DESIGN

MAPTIPACK special sealable trays for long products

|                                                                                       |    |            |      |           |    |     |       |   |  |  |
|---------------------------------------------------------------------------------------|----|------------|------|-----------|----|-----|-------|---|--|--|
|  | DY | DY1636H35  | rPET | 360 x 160 | 35 | 188 | 2 256 |   |  |  |
|                                                                                       | DY | DY1636SK25 | rPET | 360 x 160 | 25 | 188 | 2 256 | ✓ |  |  |



practical!

Ideal for long fish fillets.



MONO MATERIAL

did you know that?

Our trays have been tested on all types of sealing machines and with all standard technical films available in the marketplace. Please don't hesitate to contact our commercial department should you have any queries.



# DUALIPACK

THE FIRST CARDBOARD-rPET TRAY THAT CAN BE AUTOMATICALLY SEPARATED DURING SORTING

CARDBOARD rPET

Customisable



## eco-friendly!

- 50% less plastic
- Cardboard can be printed on two sides
- Airtight and sealable, even in the presence of contamination
- Recyclable: no glue or adhesives
- Materials can be separated automatically at the sorting centre

Interior black as standard with a Kraft cardboard exterior, optional customisation; scan this QR code to find out more

WATCH THE VIDEO




### Caractéristiques

- Sealable
- MAP
- Absorbent pad on request
- Positive cold
- Kraft/black
- Translucent with viewholes

format 15x23

DUALIPACK sealable trays

|  | DY | DU1523H40DY01 kraft | Cardboard rPET | 232 x 146 | 40 | 560 | 10 080 | ✓ | LISSE |
|---------------------------------------------------------------------------------------|----|---------------------|----------------|-----------|----|-----|--------|---|-------|

Optional customisation.



# MAPTIPACK

FORMATS 14x19 - 16x20 - 15x23  
18x25 - 13x32 - 27x30

PP

Recyclable mono-material  
solutions suitable for  
reheating in the microwave



—MONO—  
MATERIAL



## Features



Sealable



Freezing



MAP



Microwave



Absorbent pad on request



Translucent  
Other colours on request

### format 14x19

#### RIBBED DESIGN W1

MAPTIPACK sealable trays

|  | GP | W1/601R | PP | 187 x 137 | 36 | 640 | 7 680 |  |
|--|----|---------|----|-----------|----|-----|-------|--|
|  | GP | W1/602R | PP | 187 x 137 | 50 | 640 | 7 680 |  |
|  | GP | W1/603R | PP | 187 x 137 | 63 | 640 | 7 680 |  |
|  | GP | W1/604R | PP | 187 x 137 | 84 | 640 | 7 680 |  |

#### RIBBED DESIGN ACP

MAPTIPACK sealable trays

|  | NK | ACP36 | PP | 190 x 144 | 36 | 630 | 12 600 | ✓ |
|--|----|-------|----|-----------|----|-----|--------|---|
|  | NK | ACP40 | PP | 190 x 144 | 40 | 630 | 12 600 | ✓ |
|  | NK | ACP50 | PP | 190 x 144 | 50 | 630 | 12 600 | ✓ |
|  | NK | ACP63 | PP | 190 x 144 | 63 | 570 | 11 400 | ✓ |
|  | NK | ACP70 | PP | 190 x 144 | 70 | 570 | 11 400 | ✓ |
|  | NK | ACP75 | PP | 190 x 144 | 75 | 510 | 11 200 | ✓ |
|  | NK | ACP80 | PP | 190 x 144 | 80 | 510 | 11 200 | ✓ |





**\_MONO\_  
MATERIAL**

PP

format 16x20

### RIBBED DESIGN MAP

MAPTIPACK sealable trays

|  | GP | MAP20516040R | PP | 205 x 160 | 40 | 320 | 6 400 |  |  |
|--|----|--------------|----|-----------|----|-----|-------|--|--|
|  | GP | MAP20516050R | PP | 205 x 160 | 50 | 320 | 6 400 |  |  |
|  | GP | MAP20516060R | PP | 205 x 160 | 60 | 320 | 6 400 |  |  |
|  | GP | MAP20516080R | PP | 205 x 160 | 80 | 320 | 5 120 |  |  |

#### Features



Sealable



Microwave



MAP



Translucent



Freezing  
-20°



Other colours on request



**MAPTIPACK**

PP

format 15x23

### SMOOTH DESIGN AES

MAPTIPACK sealable trays

|  | NK | AES15SK | PP | 230 x 145 | 15 | 568 | 11 360 | ✓ | ✓ | ✓ |
|--|----|---------|----|-----------|----|-----|--------|---|---|---|
|  | NK | AES20SK | PP | 230 x 145 | 20 | 568 | 11 360 | ✓ | ✓ | ✓ |
|  | NK | AES27SK | PP | 230 x 145 | 27 | 568 | 11 360 | ✓ | ✓ | ✓ |
|  | NK | AES35   | PP | 230 x 145 | 35 | 540 | 10 800 |   | ✓ | ✓ |
|  | NK | AES50   | PP | 230 x 145 | 50 | 520 | 10 400 |   | ✓ | ✓ |

#### Features



Sealable



Freezing  
-20°



MAP



Microwave



SKIN (see table)



Translucent



Absorbent pad on request



Other colours on request

#### Features



Sealable



SHARPLOK



MAP



Absorbent pad on request



Microwave



Translucent



Freezing  
-20°



Other colours on request

PP

format 15x23

### RIBBED DESIGN AEP

MAPTIPACK sealable trays

|  | NK | AEP-40D | PP | 230 x 145 | 40 | 560 | 11 200 | ✓ | ✓ |  |
|--|----|---------|----|-----------|----|-----|--------|---|---|--|
|  | NK | AEP-50D | PP | 230 x 145 | 50 | 560 | 11 200 | ✓ | ✓ |  |
|  | NK | AEP-80D | PP | 230 x 145 | 80 | 520 | 10 400 | ✓ | ✓ |  |





MONO MATERIAL

## MAPTIPACK



## Features



Sealable



MAP



Microwave



Freezing



SHARPLOCK (see table)



Absorbent pad on request (see table)



Translucent

Other colours on request

PP

format 15x23

## DESIGN AE


MAPTIPACK sealable trays

|  | NK | AE20  | PP | 230 x 145 | 20 | 576 | 11 520 |   | ✓ |
|--|----|-------|----|-----------|----|-----|--------|---|---|
|  | NK | AE20D | PP | 230 x 145 | 20 | 576 | 11 520 | ✓ | ✓ |
|  | NK | AE25  | PP | 230 x 145 | 25 | 576 | 11 520 |   | ✓ |
|  | NK | AE25D | PP | 230 x 145 | 25 | 576 | 11 520 | ✓ | ✓ |
|  | NK | AE25H | PP | 230 x 145 | 25 | 576 | 11 520 |   |   |
|  | NK | AE30  | PP | 230 x 145 | 30 | 576 | 11 520 |   | ✓ |
|  | NK | AE30D | PP | 230 x 145 | 30 | 576 | 11 520 | ✓ | ✓ |
|  | NK | AE30H | PP | 230 x 145 | 30 | 576 | 11 520 |   |   |
|  | NK | AE35  | PP | 230 x 145 | 35 | 560 | 11 200 |   | ✓ |
|  | NK | AE35D | PP | 230 x 145 | 35 | 576 | 11 520 | ✓ | ✓ |
|  | NK | AE38P | PP | 230 x 145 | 38 | 600 | 12 000 |   |   |
|  | NK | AE40  | PP | 230 x 145 | 40 | 560 | 11 200 |   | ✓ |
|  | NK | AE40D | PP | 230 x 145 | 40 | 560 | 11 200 | ✓ | ✓ |
|  | NK | AE45  | PP | 230 x 145 | 45 | 560 | 11 200 |   | ✓ |
|  | NK | AE45D | PP | 230 x 145 | 45 | 560 | 11 200 | ✓ | ✓ |
|  | NK | AE50  | PP | 230 x 145 | 50 | 560 | 11 200 |   | ✓ |
|  | NK | AE55  | PP | 230 x 145 | 55 | 560 | 11 200 |   | ✓ |
|  | NK | AE60  | PP | 230 x 145 | 60 | 520 | 10 400 |   | ✓ |
|  | NK | AE80  | PP | 230 x 145 | 80 | 520 | 10 400 |   | ✓ |
|  | NK | AE85  | PP | 230 x 145 | 85 | 520 | 10 400 |   | ✓ |
|  | NK | AE90  | PP | 230 x 145 | 90 | 520 | 10 400 |   | ✓ |



PP  
format 18x23

RIBBED DESIGN W1  
MAPTIPACK sealable trays


|                                                                                                                                                                            |    |         |    |  |  |  |  |  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|---------|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <br> | GP | W1/620R | PP | 227 x 178                                                                           | 40                                                                                  | 320                                                                                   | 5 120                                                                                 |                                                                                       |
|                                                                                                                                                                            | GP | W1/621R | PP | 227 x 178                                                                           | 50                                                                                  | 320                                                                                   | 5 120                                                                                 |                                                                                       |
|                                                                                                                                                                            | GP | W1/622R | PP | 227 x 178                                                                           | 60                                                                                  | 320                                                                                   | 5 120                                                                                 |                                                                                       |
|                                                                                                                                                                            | GP | W1/623R | PP | 227 x 178                                                                           | 81                                                                                  | 320                                                                                   | 5 120                                                                                 |                                                                                       |

Features

-  Sealable
-  Microwave
-  MAP
-  Translucent
-  Freezing
-  Other colours on request

PP  
format 18x23

RIBBED DESIGN ABP  
MAPTIPACK sealable trays

|                                                                                                                                                                                |    |       |    |  |  |  |  |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|-------|----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <br> | NK | ABP33 | PP | 227 x 178                                                                             | 33                                                                                    | 400                                                                                   | 8 000                                                                                 | ✓                                                                                     |
|                                                                                                                                                                                | NK | ABP40 | PP | 227 x 178                                                                             | 40                                                                                    | 400                                                                                   | 8 000                                                                                 | ✓                                                                                     |
|                                                                                                                                                                                | NK | ABP45 | PP | 227 x 178                                                                             | 45                                                                                    | 400                                                                                   | 8 000                                                                                 | ✓                                                                                     |
|                                                                                                                                                                                | NK | ABP50 | PP | 227 x 178                                                                             | 50                                                                                    | 400                                                                                   | 8 000                                                                                 | ✓                                                                                     |
|                                                                                                                                                                                | NK | ABP55 | PP | 227 x 178                                                                             | 55                                                                                    | 400                                                                                   | 8 000                                                                                 | ✓                                                                                     |
|                                                                                                                                                                                | NK | ABP60 | PP | 227 x 178                                                                             | 60                                                                                    | 400                                                                                   | 8 000                                                                                 | ✓                                                                                     |
|                                                                                                                                                                                | NK | ABP85 | PP | 227 x 178                                                                             | 85                                                                                    | 360                                                                                   | 7 200                                                                                 | ✓                                                                                     |
|                                                                                                                                                                                | NK | ABP90 | PP | 227 x 178                                                                             | 90                                                                                    | 360                                                                                   | 7 200                                                                                 | ✓                                                                                     |

MAPTIPACK



Features

-  Sealable
-  Absorbent pad on request
-  MAP
-  Translucent
-  Freezing
-  Other colours on request
-  Microwave



MAPTIPACK



Features

- Sealable

Freezing

Translucent
- MAP

Microwave

Other colours on request
- Absorbent pad on request

SHARPLOK (see table)

PP

format 18x25

DESIGN AF

MAPTIPACK sealable trays

|  | NK | AF25  | PP | 250 x 180 | 25 | 408 | 6 528 |   |
|--|----|-------|----|-----------|----|-----|-------|---|
|  | NK | AF25D | PP | 250 x 180 | 25 | 408 | 6 528 | ✓ |
|  | NK | AF30  | PP | 250 x 180 | 30 | 408 | 6 528 |   |
|  | NK | AF30D | PP | 250 x 180 | 30 | 408 | 6 528 | ✓ |
|  | NK | AF35  | PP | 250 x 180 | 35 | 408 | 6 528 |   |
|  | NK | AF35D | PP | 250 x 180 | 35 | 408 | 6 528 | ✓ |
|  | NK | AF40  | PP | 250 x 180 | 40 | 408 | 6 528 |   |
|  | NK | AF40D | PP | 250 x 180 | 40 | 408 | 6 528 | ✓ |
|  | NK | AF45  | PP | 250 x 180 | 45 | 408 | 6 528 |   |
|  | NK | AF45D | PP | 250 x 180 | 45 | 408 | 6 528 | ✓ |
|  | NK | AF50  | PP | 250 x 180 | 50 | 384 | 6 144 |   |
|  | NK | AF50D | PP | 250 x 180 | 50 | 384 | 6 144 | ✓ |
|  | NK | AF55  | PP | 250 x 180 | 55 | 384 | 6 144 |   |
|  | NK | AF55D | PP | 250 x 180 | 55 | 384 | 6 144 | ✓ |
|  | NK | AF60  | PP | 250 x 180 | 60 | 336 | 5 376 |   |
|  | NK | AF60D | PP | 250 x 180 | 60 | 336 | 5 376 | ✓ |
|  | NK | AF65  | PP | 250 x 180 | 65 | 336 | 5 376 |   |
|  | NK | AF65D | PP | 250 x 180 | 65 | 336 | 5 376 | ✓ |
|  | NK | AF70  | PP | 250 x 180 | 70 | 336 | 5 376 |   |
|  | NK | AF70D | PP | 250 x 180 | 70 | 336 | 5 376 | ✓ |
|  | NK | AF75  | PP | 250 x 180 | 75 | 336 | 5 376 |   |
|  | NK | AF75D | PP | 250 x 180 | 75 | 336 | 5 376 | ✓ |
|  | NK | AF80  | PP | 250 x 180 | 80 | 336 | 5 376 |   |
|  | NK | AF80D | PP | 250 x 180 | 80 | 336 | 5 376 | ✓ |
|  | NK | AF85  | PP | 250 x 180 | 85 | 336 | 5 376 |   |
|  | NK | AF85D | PP | 250 x 180 | 85 | 336 | 5 376 | ✓ |
|  | NK | AF90  | PP | 250 x 180 | 90 | 336 | 5 376 |   |
|  | NK | AF90D | PP | 250 x 180 | 90 | 336 | 5 376 | ✓ |





MAPTIPACK



Features

- Sealable
- MAP
- SKIN (see table)
- Absorbent pad on request
- Positive cold
- Microwave
- Translucent
- Other colours on request

PP  
format 18x25

DESIGN AFP/AF SKIN  
MAPTIPACK sealable trays

|  | NK | AFP20SK | PP | 250 x 180 | 20 | 420 | 6 720 | ✓ |
|--|----|---------|----|-----------|----|-----|-------|---|
|  | NK | AFP27SK | PP | 250 x 180 | 27 | 420 | 6 720 | ✓ |
|  | NK | AF27SK  | PP | 250 x 180 | 27 | 420 | 6 720 | ✓ |

Voir format AES 15x23 SKIN page 34

eco-friendly!

The ideal mono-material packaging for your SKIN applications.

PP  
format 18x25

DESIGN AFP

MAPTIPACK sealable trays

|  | NK | AFP-30D | PP | 250 x 180 | 30 | 414 | 6 624 | ✓ |
|--|----|---------|----|-----------|----|-----|-------|---|
|  | NK | AFP-50D | PP | 250 x 180 | 50 | 390 | 6 240 | ✓ |
|  | NK | AFP-80D | PP | 250 x 180 | 80 | 336 | 5 376 | ✓ |

format 13x32

LONGER DESIGN

MAPTIPACK longer

|  |    |       |    |           |    |     |       |  |
|--|----|-------|----|-----------|----|-----|-------|--|
|  | NK | AR45D | PP | 320 x 130 | 45 | 520 | 6 240 |  |
|  | NK | AR50D | PP | 320 x 130 | 50 | 520 | 6 240 |  |





MAPTIPACK



MONO MATERIAL

PP

format 18x27

DESIGN AM

MAPTIPACK sealable trays

|  | NK | AM60 | PP | 272 x 179 | 60 | 340 | 4 080 |
|-------------------------------------------------------------------------------------|----|------|----|-----------|----|-----|-------|

Features

- Sealable
- MAP
- Absorbent pad on request
- Freezing  
-20°
- Microwave
- Standard white
- Other colours on request
- Other height on request

neat!

This format is great for promotional batches on shelf displays.



MAPTIPACK



practical!

The special base that traps any leaking juices is included in the SHARPLOK System base, (See Page 19).

Features

- Sealable
- MAP
- SHARPLOK
- Positive cold  
+0°
- Freezing  
-20°
- Microwave
- Standard black
- Other colours on request

PP

format 21x30

LARGE-CAPACITY TRAY  
DESIGN AOP

MAPTIPACK sealable trays

|  | NK | AOP32 | PP | 303 x 212 | 32 | 230 | 6 900 | ✓ |
|---------------------------------------------------------------------------------------|----|-------|----|-----------|----|-----|-------|---|
|  | NK | AOP52 | PP | 303 x 212 | 52 | 230 | 6 900 | ✓ |
|  | NK | AOP82 | PP | 303 x 212 | 82 | 170 | 5 100 | ✓ |





Features



Sealable



MAP



Freezing

-20°



Microwave



Translucent

Other colours on request

GASTROPACK

GASTRONORM

PP



—MONO—  
MATERIAL


format 190x260

sealable trays



|  |    |       |    |  |  |  |  |
|--|----|-------|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  | NK | GA20M | PP | 260 x 190                                                                           | 20                                                                                  | 500                                                                                 | 10 000                                                                              |
|  | NK | GA35M | PP | 260 x 190                                                                           | 35                                                                                  | 400                                                                                 | 8 000                                                                               |
|  | NK | GA50M | PP | 260 x 190                                                                           | 50                                                                                  | 400                                                                                 | 8 000                                                                               |
|  | NK | GA65M | PP | 260 x 190                                                                           | 65                                                                                  | 350                                                                                 | 7 000                                                                               |
|  | NK | GA95M | PP | 260 x 190                                                                           | 95                                                                                  | 300                                                                                 | 6 000                                                                               |

format 260x320



|  |    |       |    |           |     |     |       |
|--|----|-------|----|-----------|-----|-----|-------|
|  | NK | GM40  | PP | 320 x 260 | 40  | 174 | 2 436 |
|  | NK | GM45  | PP | 320 x 260 | 45  | 174 | 2 436 |
|  | NK | GM50  | PP | 320 x 260 | 50  | 174 | 2 436 |
|  | NK | GM55  | PP | 320 x 260 | 55  | 174 | 2 436 |
|  | NK | GM60  | PP | 320 x 260 | 60  | 174 | 2 436 |
|  | NK | GM65  | PP | 320 x 260 | 65  | 174 | 2 436 |
|  | NK | GM70  | PP | 320 x 260 | 70  | 174 | 2 436 |
|  | NK | GM75  | PP | 320 x 260 | 75  | 174 | 2 436 |
|  | NK | GM80  | PP | 320 x 260 | 80  | 174 | 2 436 |
|  | NK | GM85  | PP | 320 x 260 | 85  | 174 | 2 436 |
|  | NK | GM90  | PP | 320 x 260 | 90  | 166 | 2 324 |
|  | NK | GM95  | PP | 320 x 260 | 95  | 166 | 2 324 |
|  | NK | GM100 | PP | 320 x 260 | 100 | 166 | 2 324 |
|  | NK | GM105 | PP | 320 x 260 | 105 | 166 | 2 324 |
|  | NK | GM110 | PP | 320 x 260 | 110 | 166 | 2 324 |

format 95x137

sealable trays



|  |    |       |    |  |  |  |  |
|--|----|-------|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  | NK | GA30P | PP | 137 x 95                                                                            | 30                                                                                  | 1 500                                                                                 | 48 000                                                                                |
|  | NK | GA45P | PP | 137 x 95                                                                            | 45                                                                                  | 1 500                                                                                 | 48 000                                                                                |
|  | NK | GA63P | PP | 137 x 95                                                                            | 63                                                                                  | 1 500                                                                                 | 48 000                                                                                |

format 137x190



|  |    |       |    |           |    |     |        |
|--|----|-------|----|-----------|----|-----|--------|
|  | NK | GA20G | PP | 190 x 137 | 20 | 900 | 28 800 |
|  | NK | GA38G | PP | 190 x 137 | 38 | 750 | 24 000 |
|  | NK | GA50G | PP | 190 x 137 | 50 | 750 | 24 000 |
|  | NK | GA72G | PP | 190 x 137 | 72 | 750 | 24 000 |
|  | NK | GA85G | PP | 190 x 137 | 85 | 750 | 24 000 |

format 190x230



|  |    |       |    |           |    |     |        |
|--|----|-------|----|-----------|----|-----|--------|
|  | NK | GA25L | PP | 230 x 190 | 25 | 750 | 24 000 |
|  | NK | GA35L | PP | 230 x 190 | 35 | 750 | 24 000 |
|  | NK | GA50L | PP | 230 x 190 | 50 | 560 | 16 800 |
|  | NK | GA65L | PP | 230 x 190 | 65 | 560 | 16 800 |



# MAPTIPACK

POULTRY SPECIAL

PP

Tray for stretch film



MONO MATERIAL

## Features


SHARPLOK

Positive cold

Microwave

Translucent or black  
Other colours on request

### MAPTIPACK specially adapted shape

|                                                                                       |    |        |         |  |  |  |  |
|---------------------------------------------------------------------------------------|----|--------|---------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  | DY | PTC    | PP talc | 170 x 100                                                                             | 16,5                                                                                  | 1 184                                                                                 | 23 680                                                                                |
|  | DY | PTU    | PP talc | 210 x 125                                                                             | 22                                                                                    | 810                                                                                   | 12 150                                                                                |
|  | DY | PTG    | PP talc | 210 x 125                                                                             | 22                                                                                    | 810                                                                                   | 12 150                                                                                |
|  | SY | PT2    | PP talc | 205 x 160                                                                             | 36                                                                                    | 480                                                                                   | 12 000                                                                                |
|  | SY | PT3/25 | PP talc | 217 x 167                                                                             | 25                                                                                    | -                                                                                     | 18 000                                                                                |
|  | SY | PT3/35 | PP talc |                                                                                       | 35                                                                                    | -                                                                                     | 18 000                                                                                |
|  | SY | PT4/25 | PP talc | 217 x 167                                                                             | 25                                                                                    | -                                                                                     | 18 000                                                                                |
|  | SY | PT4/35 | PP talc |                                                                                       | 35                                                                                    | -                                                                                     | 18 000                                                                                |
|  | SY | PT6/45 | PP talc | 270 x 194                                                                             | 45                                                                                    | -                                                                                     | 9 450                                                                                 |



100% customizable



FOOD K

UNIQUE!  
SEALABLE TRAY  
MAP IN CARDBOARD,  
ECO-DESIGNED  
AND RECYCLABLE

CARDBOARD

Base made from certified  
FSC cardboard® by  
ALPHAFORM (FSC® C163957)



May be used hot


format 15x23

traditionally shaped trays

|                                                                                       |    |             |  |  |  |  |  |  |
|---------------------------------------------------------------------------------------|----|-------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  | AL | B5H20CAR040 | 230 x 150                                                                             | 20                                                                                    | 500                                                                                   | 65                                                                                    | 520                                                                                   | 8 320                                                                                 |
|                                                                                       | AL | B5H35CAR040 | 230 x 150                                                                             | 35                                                                                    | 750                                                                                   | 65                                                                                    | 520                                                                                   | 8 320                                                                                 |
|                                                                                       | AL | B5H55CAR040 | 230 x 150                                                                             | 55                                                                                    | 1 000                                                                                 | 65                                                                                    | 520                                                                                   | 8 320                                                                                 |

format 18x25

gastronorm trays

|                                                                                       |    |              |           |    |       |    |     |       |
|---------------------------------------------------------------------------------------|----|--------------|-----------|----|-------|----|-----|-------|
|  | AL | B6H20CAR040  | 250 x 180 | 20 | 600   | 65 | 390 | 6 240 |
|                                                                                       | AL | B6H35CAR040  | 250 x 180 | 35 | 1 200 | 65 | 390 | 6 240 |
|                                                                                       | AL | B6H255CAR040 | 250 x 180 | 55 | 1 800 | 65 | 390 | 6 240 |





Our wide range of solutions (sealable containers, bowls and trays) are the perfect answer for ready meals. They are ideally suited to the various packaging processes: automatic denesting, hot filling, pasteurisation, MAP, SKIN, etc... Their stability is a real boon. Sold in large supermarkets or in takeaway restaurants, our solutions will also allow you to offer added value in terms of user and consumer services; not least their heat resistance and the option to eat straight from the packaging. Our range of recyclable materials means we can offer a vast selection to enhance your products and make you stand out from the crowd. All while providing optimum protection with eco-friendly packaging labelled as Alter Eco Recycle or Alter Eco Bio.

# Solutions for ready meals



RESPONSIBLE



ECO-DESIGNED



MAP



MICROWAVE



MADE IN EUROPE



RECYCLABLE



SEALABLE



SKIN



CONVENTIONAL  
OVEN





Features



No sealable



Lid



Translucent

Other colours on request

PP

format Ø101

round containers with separate lids

|                                                                                     |     |           |    |  |  |  |  |  |
|-------------------------------------------------------------------------------------|-----|-----------|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  | GP  | 761410419 | PP | Ø 105                                                                               | 9                                                                                   | -                                                                                    | 1 000                                                                                 | 30 000                                                                                |
|  | KIV | TUS125C   | PP | Ø 101                                                                               | 30                                                                                  | 125                                                                                  | 1 000                                                                                 | 30 000                                                                                |
|                                                                                     | KIV | TUS150C   | PP | Ø 101                                                                               | 34                                                                                  | 150                                                                                  | 1 000                                                                                 | 30 000                                                                                |
|                                                                                     | KIV | TUS200C   | PP | Ø 101                                                                               | 42                                                                                  | 200                                                                                  | 1 000                                                                                 | 30 000                                                                                |
|  | KIV | TUS250    | PP | Ø 101                                                                               | 49                                                                                  | 250                                                                                  | 1 000                                                                                 | 30 000                                                                                |
|                                                                                     | KIV | TUS400C   | PP | Ø 101                                                                               | 78                                                                                  | 400                                                                                  | 1 000                                                                                 | 24 000                                                                                |
|                                                                                     | KIV | TUS500C   | PP | Ø 101                                                                               | 101                                                                                 | 500                                                                                  | 1 000                                                                                 | 24 000                                                                                |

inserts

|                                                                                     |     |         |    |       |    |     |       |        |
|-------------------------------------------------------------------------------------|-----|---------|----|-------|----|-----|-------|--------|
|  | KIV | TUS300C | PP | Ø 101 | 62 | 300 | 1 000 | 24 000 |
|-------------------------------------------------------------------------------------|-----|---------|----|-------|----|-----|-------|--------|



Features



Sealable



Lid



Microwave



Translucent

TUSIPACK

RANGE OF ROUND  
CONTAINERS  
FOR HOT DISHES

PP

sealable  
recyclable



MONO  
MATERIAL

format Ø115

round containers with separate lids

|                                                                                       |    |         |    |  |  |  |  |  |
|---------------------------------------------------------------------------------------|----|---------|----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  | GP | W2/016C | PP | Ø 121                                                                                 | 13                                                                                    | -                                                                                     | 500                                                                                   | 14 000                                                                                |
|  | GP | W2/017C | PP | Ø 121                                                                                 | 8                                                                                     | -                                                                                     | 500                                                                                   | 14 000                                                                                |
|  | GP | 8113C   | PP | Ø 115                                                                                 | 42                                                                                    | 250                                                                                   | 500                                                                                   | 12 000                                                                                |
|                                                                                       | GP | 8114C   | PP | Ø 115                                                                                 | 49                                                                                    | 300                                                                                   | 500                                                                                   | 12 000                                                                                |
|                                                                                       | GP | 8115C   | PP | Ø 115                                                                                 | 56                                                                                    | 350                                                                                   | 500                                                                                   | 12 000                                                                                |
|  | GP | 8116C   | PP | Ø 115                                                                                 | 65                                                                                    | 400                                                                                   | 500                                                                                   | 12 000                                                                                |
|                                                                                       | GP | 8117C   | PP | Ø 115                                                                                 | 72                                                                                    | 450                                                                                   | 500                                                                                   | 12 000                                                                                |
|                                                                                       | GP | 8118C   | PP | Ø 115                                                                                 | 80                                                                                    | 500                                                                                   | 500                                                                                   | 12 000                                                                                |
|  | GP | 8119C   | PP | Ø 115                                                                                 | 114                                                                                   | 750                                                                                   | 500                                                                                   | 12 000                                                                                |
|                                                                                       | GP | 8120C   | PP | Ø 115                                                                                 | 153                                                                                   | 1 000                                                                                 | 500                                                                                   | 12 000                                                                                |



# BOWLIPACK

CARDBOARD CONTAINERS  
DESIGNED FOR SOUP

CARDBOARD

Thick cardboard with insulating  
and protective properties  
Lid allows steam to escape

recyclable



## Features

- Freezing
- Positive cold
- Microwave

format Ø90 à Ø115

kraft cardboard soup containers,  
capacity 300 to 1,000mL



|    |              |       |       |     |       |    |     |        |   |   |
|----|--------------|-------|-------|-----|-------|----|-----|--------|---|---|
| AL | CVSC350CARK  | Kraft | Ø 90  | 15  | -     | 25 | 500 | 10 000 |   | ✓ |
| AL | SC350CARK    | Kraft | Ø 90  | 84  | 350   | 25 | 500 | 10 000 | ✓ |   |
| AL | CVSC450CARK  | Kraft | Ø 97  | 15  | -     | 25 | 500 | 10 000 |   | ✓ |
| AL | SC450CARK    | Kraft | Ø 97  | 100 | 450   | 25 | 500 | 10 000 | ✓ |   |
| AL | CVSC1000CARK | Kraft | Ø 115 | 25  | -     | 25 | 500 | 6 000  |   | ✓ |
| AL | SC750CARK    | Kraft | Ø 115 | 115 | 750   | 25 | 500 | 4 000  | ✓ |   |
| AL | SC1000CARK   | Kraft | Ø 115 | 133 | 1 000 | 25 | 500 | 4 000  | ✓ |   |



# POKEPACK

POKE BOWL:  
PRACTICAL, SAFE AND  
100% ÉCO-DESIGNED

CARDBOARD  
BASES

PP  
LIDS

FSC® certified cardboard  
base (FSC® C168260) by  
GUILLIN POLSKA



neat!

Can be used hot with a PP lid:  
cardboard bases and microwavable PP lids.

## Features

- Sealable
- Anti-mist lid\*
- Freezing  
-20°
- Microwave

sealable round containers made from  
kraft cardboard with transparent lids

|  | KIV | CVPOTCAR601PP   | PP        | Ø 125 | 25 | -     | 600 | 14 400 |
|--|-----|-----------------|-----------|-------|----|-------|-----|--------|
|  | GP  | POTCART321C     | Cardboard | Ø 120 | 48 | 320   |     |        |
|  | GP  | POTCART501C     | Cardboard | Ø 120 | 70 | 500   | 600 | 9 600  |
|  | GP  | POTCART601C     | Cardboard | Ø 120 | 83 | 600   |     |        |
|  | KIV | CVPOTCAR1000PP  | PP        | Ø 155 | 25 | -     | 300 | 7 200  |
|  | GP  | POTCART500C     | Cardboard | Ø 150 | 47 | 500   |     |        |
|  | GP  | POTCART750C     | Cardboard | Ø 150 | 62 | 750   | 300 | 7 200  |
|  | GP  | POTCART1000C    | Cardboard | Ø 150 | 76 | 1 000 |     |        |
|  | KIV | CVPOTCART1300PP | PP        | Ø 190 | 20 | -     | 300 | 5 400  |
|  | GP  | POTCART850C     | Cardboard | Ø 185 | 50 | 850   |     |        |
|  | GP  | POTCART1130C    | Cardboard | Ø 185 | 59 | 1 100 | 300 | 4 800  |
|  | GP  | POTCART1300C    | Cardboard | Ø 185 | 69 | 1 300 |     |        |

The lids are available in PET – See page 75.

sealable rectangular containers made from kraft cardboard with transparent lids

|  |     |                 |           |           |    |       |     |       |
|--|-----|-----------------|-----------|-----------|----|-------|-----|-------|
|  | KIV | CVPOTCART1002PP | PP        | 176 x 124 | 14 | -     | 300 | 4 800 |
|  | GP  | POTCART502C     | Cardboard | 172 x 120 | 40 | 500   |     |       |
|  | GP  | POTCART802C     | Cardboard | 172 x 120 | 57 | 800   | 300 | 9 000 |
|  | GP  | POTCART1002C    | Cardboard | 172 x 120 | 79 | 1 000 |     |       |

\*Small non-anti-mist lid – Rectangular non-anti-mist lid

practical!

Rigid, stackable, easy to close and reliable.  
The shape of the lid means that a sleeve or label  
can be attached.  
The base can be customised.







# MAPTIPACK

LARGE RANGE IDEAL FOR  
READY MEALS

PP  
TRAYS

rPET  
LIDS

Full protection



MONO  
MATERIAL




## Features

- Sealable
- MAP
- Absorbent pad on request
- Freezing
- Microwave
- Translucent
- Other colours on request


### format 13x18

#### DESIGN LISSE

sealable trays PP and lid rPET

|  | DY | CVW1  | rPET | 192 x 141 | 18 | 560   | 6 720  |   |
|-------------------------------------------------------------------------------------|----|-------|------|-----------|----|-------|--------|---|
|  | DY | W1H25 | PP   | 187 x 137 | 25 | 1 008 | 20 160 | ✓ |
|  | DY | W1H36 | PP   | 187 x 137 | 36 | 900   | 18 000 | ✓ |
|                                                                                     | DY | W1H45 | PP   | 187 x 137 | 45 | 864   | 17 280 | ✓ |
|                                                                                     | DY | W1H50 | PP   | 187 x 137 | 50 | 864   | 17 280 | ✓ |
|                                                                                     | DY | W1H63 | PP   | 187 x 137 | 63 | 216   | 4 320  | ✓ |

sealable PP trays – 2 compartments and rPET lid

|  | DY | CVW1    | rPET | 192 x 141 | 18 | 560 | 6 720 |   |
|-------------------------------------------------------------------------------------|----|---------|------|-----------|----|-----|-------|---|
|  | DY | W1H36/2 | pp   | 187 X 137 | 36 | 640 | 7 680 | ✓ |
|                                                                                     | DY | W1H45/2 | pp   | 187 X 137 | 45 |     |       | ✓ |
|                                                                                     | DY | W1H55/2 | pp   | 187 X 137 | 55 |     |       | ✓ |



## Features

- Sealable
- MAP
- Freezing
- Microwave
- Translucent
- Other colours on request

### format 13x18

#### DESIGN LISSE

sealable trays PP and lid rPET

|  | DY | CVW1    | rPET | 192 x 141 | 18 | 560 | 6 720 |  |
|---------------------------------------------------------------------------------------|----|---------|------|-----------|----|-----|-------|--|
|  | GP | W1/616  | PP   | 187 x 137 | 18 | 640 | 7 680 |  |
|  | GP | W1/600  | PP   | 187 x 137 | 25 | 640 | 7 680 |  |
|  | GP | W1/601A | PP   | 187 x 137 | 36 | 640 | 7 680 |  |
|  | GP | W1/608  | PP   | 187 x 137 | 45 | 640 | 7 680 |  |
|  | GP | W1/602  | PP   | 187 x 137 | 50 | 640 | 7 680 |  |
|  | GP | W1/607D | PP   | 187 x 137 | 60 | -   | -     |  |
|                                                                                       | GP | W1/603  | PP   | 187 x 137 | 63 | 640 | 7 680 |  |
|  | GP | W1/604  | PP   | 187 x 137 | 84 | 640 | 7 680 |  |



# MAPTIPACK



MONO MATERIAL


PP  
PLATE

rPET  
LID

format carré 18x18

## SEALABLE AND LID

MAPTIPACK black plate and transparent lid

|  | DY | CVWS1818   | rPET | Lid       | 13 | 580 | 13 920 |
|-------------------------------------------------------------------------------------|----|------------|------|-----------|----|-----|--------|
|  | DY | WS 1818H33 | PP   | 180 x 180 | 33 | 480 | 11 520 |
|                                                                                     | DY | WS 1818    | PP   | 180 x 180 | 50 | 440 | 10 560 |

neat!

Designed to eat on the go. Lid with tamperproof tab.

## Features



## Features



Other colours on request

PP

format 18x23

## DESIGN YATE

MAPTIPACK sealable steamer bowls

|  | SY | Steamer Bowl 40 | 201 x 135 | 40 | 500 | 780 | 14 040 |
|---------------------------------------------------------------------------------------|----|-----------------|-----------|----|-----|-----|--------|
|  | SY | Steamer Bowl 60 |           | 60 | 750 | 660 | 11 880 |
|  | SY | MS186-60        | Ø 186     | 60 | 960 | 380 | 3 800  |





## MAPTIPACK

PP

format 18x23

### DESIGN W1

MAPTIPACK W1 smooth, translucent

|  | GP | W1/624 | PP | 227 x 178 | 33 | 320 | 5 120 |
|--|----|--------|----|-----------|----|-----|-------|
|  | GP | W1/620 | PP | 227 x 178 | 40 | 320 | 5 120 |
|  | GP | W1/621 | PP | 227 x 178 | 51 | 320 | 5 120 |

MAPTIPACK W1 ribbed

|  | GP | W1/622R | PP | 227 x 178 | 61 | 320 | 5 120 |
|--|----|---------|----|-----------|----|-----|-------|
|  | GP | W1/623R | PP | 227 x 178 | 81 | 320 | 3 840 |

### Features



Sealable



MAP



Freezing



Microwave



Translucent

Other colours on request



**MONO**  
MATERIAL

### Features



Sealable



MAP



Freezing



Microwave



Black or white  
(see table)

PP

### SMOOTH DESIGN

MAPTIPACK

version with compartments  
matching PP lid

|  | GP | P9400PPC | PP | 237 x 188 | 13 | -       | 320 | 5 120 | ✓ |   |  |   |
|--|----|----------|----|-----------|----|---------|-----|-------|---|---|--|---|
|  | GP | B-9520C  | PP | 227 x 178 | 33 | 490/410 | 320 | 5 120 | ✓ |   |  | ✓ |
|  | GP | B-9510C  | PP | 227 x 178 | 41 | 590/500 | 320 | 5 120 | ✓ |   |  | ✓ |
|  | GP | D-9510C  | PP | 227 x 178 | 41 | 590/500 | 320 | 5 120 | ✓ | ✓ |  |   |
|  | GP | B-9500C  | PP | 227 x 178 | 50 | 700/600 | 320 | 5 120 | ✓ |   |  | ✓ |
|  | GP | D-9500C  | PP | 227 x 178 | 50 | 700/600 | 320 | 5 120 | ✓ | ✓ |  |   |
|  | GP | D-9530C  | PP | 227 x 178 | 50 | 900/200 | 320 | 5 120 | ✓ | ✓ |  |   |

inserts compatible with 94 - ideal for sauce

|  |    |              |    |           |    |             |       |         |   |   |  |   |
|--|----|--------------|----|-----------|----|-------------|-------|---------|---|---|--|---|
|  | GP | MAP3CINS40BC | PS | 91 x 85   | 40 | 150         | 1 280 | 149 760 | ✓ |   |  | ✓ |
|  | GP | MAP3CINS50BC | PS | 91 x 85   | 50 | 200         | 1 280 | 92 160  | ✓ |   |  | ✓ |
|  | GP | B-9410C      | PP | 227 x 178 | 33 | 400/250/180 | 320   | 5 120   | ✓ | ✓ |  | ✓ |
|  | GP | B-9400C      | PP | 227 x 178 | 41 | 480/300/220 | 320   | 5 120   | ✓ |   |  | ✓ |
|  | GP | D-9400C      | PP | 227 x 178 | 41 | 480/300/220 | 320   | 5 120   | ✓ | ✓ |  |   |
|  | GP | B-9420C      | PP | 227 x 178 | 50 | 560/340/250 | 320   | 5 120   | ✓ |   |  | ✓ |
|  | GP | D-9420C      | PP | 227 x 178 | 50 | 560/340/250 | 320   | 5 120   | ✓ | ✓ |  |   |

### RIBBED DESIGN

|  |    |          |    |           |    |             |     |        |  |   |  |  |
|--|----|----------|----|-----------|----|-------------|-----|--------|--|---|--|--|
|  | GP | D-9410RC | PP | 227 x 178 | 33 | 480/250/180 | 320 | 13 440 |  | ✓ |  |  |
|  | GP | D-9400RC | PP | 227 x 178 | 41 | 480/300/220 | 320 | 13 440 |  | ✓ |  |  |
|  | GP | D-9420RC | PP | 227 x 178 | 50 | 560/340/250 | 320 | 13 440 |  | ✓ |  |  |
|  | GP | D-9430RC | PP | 227 x 178 | 50 | 700/250/250 | 320 | 13 440 |  | ✓ |  |  |
|  | GP | D-9520RC | PP | 227 x 178 | 33 | 490/410     | 320 | 13 440 |  | ✓ |  |  |
|  | GP | D-9510RC | PP | 227 x 178 | 41 | 590/500     | 320 | 13 440 |  | ✓ |  |  |
|  | GP | D-9500RC | PP | 227 x 178 | 50 | 700/600     | 320 | 13 440 |  | ✓ |  |  |
|  | GP | D-9530RC | PP | 227 x 178 | 50 | 500/200     | 320 | 13 440 |  | ✓ |  |  |



# FOOD K

UNIQUE!  
SEALABLE TRAY  
AND CARDBOARD MAP

## CARDBOARD

Eco-designed  
by ALPHAFORM with a  
base made from certified  
FSC® cardboard  
(FSC® C163957)





100%  
customizable



Hot use

## format CL

trays classic

|  | AL | CL250CAR040PP  | Natural | 137 x 96  | 32 | 250   | 65 | 1 170 | 23 400 | ✓ |
|-------------------------------------------------------------------------------------|----|----------------|---------|-----------|----|-------|----|-------|--------|---|
|                                                                                     | AL | CL375CAR040PP  | Natural | 137 x 96  | 49 | 375   | 65 | 1 170 | 23 400 | ✓ |
|                                                                                     | AL | CL500CAR040PP  | Natural | 137 x 96  | 63 | 500   | 60 | 1 080 | 21 600 | ✓ |
|  | AL | CL510CAR040PP  | Natural | 192 x 137 | 27 | 500   | 65 | 585   | 11 700 | ✓ |
|                                                                                     | AL | CL750CAR040PP  | Natural | 192 x 137 | 41 | 750   | 65 | 585   | 11 700 | ✓ |
|                                                                                     | AL | CL1000CAR040PP | Natural | 192 x 137 | 57 | 1 000 | 65 | 585   | 11 700 | ✓ |

## format GN

trays gastronorm

|                                                                                      |    |                |         |           |    |       |    |     |        |   |
|--------------------------------------------------------------------------------------|----|----------------|---------|-----------|----|-------|----|-----|--------|---|
|   | AL | GN8H42CAR040PP | Natural | 160 x 129 | 42 | 500   | 85 | 680 | 16 320 | ✓ |
|                                                                                      | AL | GN4H45CAR040PP | Natural | 265 x 161 | 45 | 1 240 | 70 | 280 | 6 720  | ✓ |
|   | AL | GN4H55CAR040PP | Natural | 265 x 161 | 55 | 1 485 | 70 | 280 | 6 720  | ✓ |
|                                                                                      | AL | GN3H48CAR040PP | Natural | 322 x 170 | 48 | 1 800 | 60 | 180 | 4 320  | ✓ |
|  | AL | GN2H52CAR040PP | Natural | 325 x 265 | 52 | 3 200 | 65 | 130 | 3 120  | ✓ |

MAP version on request.

## format 13x18


trays MAP

|  | AL | W1H44CAR040BG |  | 187 x 137 | 44 | 760 | 65 | 585 | 11 700 |  |
|---------------------------------------------------------------------------------------|----|---------------|--|-----------|----|-----|----|-----|--------|--|

Other heights to come.


## format 15x23

trays MAP

|                                                                                       |    |             |  |           |    |       |    |     |        |  |
|---------------------------------------------------------------------------------------|----|-------------|--|-----------|----|-------|----|-----|--------|--|
|  | AL | B5H20CAR040 |  | 230 x 150 | 20 | 500   | 65 | 520 | 10 400 |  |
|                                                                                       | AL | B5H35CAR040 |  | 230 x 150 | 35 | 750   | 65 | 520 | 10 400 |  |
|                                                                                       | AL | B5H55CAR040 |  | 230 x 150 | 55 | 1 000 | 65 | 520 | 10 400 |  |

## format 18x25

trays MAP

|                                                                                       |    |              |  |           |    |       |    |     |       |  |
|---------------------------------------------------------------------------------------|----|--------------|--|-----------|----|-------|----|-----|-------|--|
|  | AL | B6H20CAR040  |  | 250 x 180 | 20 | 600   | 65 | 390 | 6 240 |  |
|                                                                                       | AL | B6H35CAR040  |  | 250 x 180 | 35 | 1 000 | 65 | 390 | 6 240 |  |
|                                                                                       | AL | B6H255CAR040 |  | 250 x 180 | 55 | 1 800 | 65 | 390 | 6 240 |  |

Capacity: 250 to 3,200mL.  
Small formats can be customised for quantities of 10,000+,  
5000+ for large formats.





Whether they're made from rPET or cardboard, our mono-material solutions with separate lids are easy to use. They are designed to ensure optimum preparation and chilled storage of your products. These transparent containers are a major boon for self-service counters, showcasing your products perfectly. They also offer added benefits for users in that the contents can be transported, stored and eaten on the go. Guaranteed recyclable, whichever solution you choose, be it Alter Eco Recycle or Alter Eco Bio.

# Fresh snack solutions



RESPONSIBLE



RECYCLABLE



ECO-DESIGNED



ANTI-MIST



STACKABLE



MADE IN EUROPE



# DELIPACK

MAKES YOUR CREATIONS  
EVEN MORE DELICIOUS

rPET

CONTAINS  
(+ info page 15)



—MONO—  
MATERIAL

stackable



sealable round containers  
with separate lids and  
inserts

SEE THE VIDEO



clever!

A cup insert to separate ingredients, grains or  
flavourings that can be mixed in just before  
eating.

## Features

Sealable

MAP

Freezing  
-20°

Transparent



sealable round containers with separate lids and inserts

|  | GP | P7601POPC   | rPET | Ø 81  | 12  | -   | 1 000 | 42 000  |
|--|----|-------------|------|-------|-----|-----|-------|---------|
|  | GP | 7699POPC    | rPET | Ø 66  | 23  | 40  | 1 000 | 120 000 |
|  | GP | 7610POPC    | rPET | Ø 76  | 46  | 100 | 1 000 | 30 000  |
|  | GP | 7615POPC    | rPET | Ø 76  | 74  | 160 | 1 000 | 30 000  |
|  | GP | 7620POPC    | rPET | Ø 76  | 81  | 200 | 1 000 | 30 000  |
|  | GP | 7625POPC    | rPET | Ø 76  | 93  | 250 | 1 000 | 30 000  |
|  | GP | P7900POPC   | rPET | Ø 101 | 12  | -   | 1 600 | 38 400  |
|  | GP | P7901POPC   | rPET | Ø 101 | 27  | -   | 1 600 | 38 400  |
|  | GP | 7999POPC    | rPET | Ø 83  | 22  | 80  | 1 600 | 25 200  |
|  | GP | 7920POPC    | rPET | Ø 95  | 53  | 200 | 800   | 19 200  |
|  | GP | 7927POPC    | rPET | Ø 95  | 70  | 270 | 800   | 19 200  |
|  | GP | 7930POPC    | rPET | Ø 95  | 80  | 300 | 800   | 19 200  |
|  | GP | 7940POPC    | rPET | Ø 95  | 111 | 400 | 800   | 19 200  |
|  | GP | SER117CV15C | rPET | Ø 122 | 15  | -   | 500   | 12 000  |
|  | GP | SER117/400C | rPET | Ø 117 | 65  | 400 | 500   | 12 000  |
|  | GP | SER117/500C | rPET | Ø 117 | 85  | 500 | 500   | 12 000  |
|  | GP | SER117/600C | rPET | Ø 117 | 100 | 600 | 500   | 12 000  |
|  | GP | SER117/700C | rPET | Ø 117 | 115 | 700 | 500   | 12 000  |

Capacity: 100 to 700mL.





# TUSIPACK

SHOW YOUR COLOURS

rPET



\_MONO\_  
MATERIAL

## format Ø117

sealable transparent round containers  
with separate lids + optional insert



### no-seal lid

|  |    |            |      |       |   |   |     |        |
|--|----|------------|------|-------|---|---|-----|--------|
|  | GP | W2/015PETC | rPET | Ø 120 | 8 | - | 500 | 14 000 |
|--|----|------------|------|-------|---|---|-----|--------|

### lid compatible with sealing system

|  |    |            |      |       |     |       |     |        |
|--|----|------------|------|-------|-----|-------|-----|--------|
|  | GP | W2/016PETC | rPET | Ø 120 | 13  | -     | 500 | 14 000 |
|  | GP | W2/021PETC | rPET | Ø 120 | 20  | -     | 500 | 14 000 |
|  | GP | W2/030PETC | rPET | Ø 120 | 14  | -     | 500 | 12 000 |
|  | GP | 8112PETC   | rPET | Ø 117 | 35  | 200   | 500 | 12 000 |
|  | GP | 8113PETC   | rPET | Ø 117 | 42  | 250   | 500 | 12 000 |
|  | GP | 8114PETC   | rPET | Ø 117 | 49  | 300   | 500 | 12 000 |
|  | GP | 8115PETC   | rPET | Ø 117 | 56  | 350   | 500 | 12 000 |
|  | GP | 8116PETC   | rPET | Ø 117 | 65  | 400   | 500 | 12 000 |
|  | GP | 8117PETC   | rPET | Ø 117 | 72  | 450   | 500 | 12 000 |
|  | GP | 8118PETC   | rPET | Ø 117 | 80  | 500   | 500 | 12 000 |
|  | GP | 8119PETC   | rPET | Ø 117 | 116 | 750   | 500 | 12 000 |
|  | GP | 8120PETC   | rPET | Ø 117 | 156 | 1 000 | 500 | 12 000 |

### insert compatible only with tall containers and lid W2/030PETC

|  |    |          |      |       |    |     |     |        |
|--|----|----------|------|-------|----|-----|-----|--------|
|  | GP | 8250PETC | rPET | Ø 113 | 41 | 200 | 500 | 12 000 |
|--|----|----------|------|-------|----|-----|-----|--------|



## Features

- Sealable
- MAP
- Freezing -20°
- Transparent

## rPET

## format Ø122

sealable containers  
separate lid, compatible with sealing system



|  |    |           |      |       |     |     |       |        |
|--|----|-----------|------|-------|-----|-----|-------|--------|
|  | NK | LBQ12     | rPET | Ø 122 | 12  | -   | 1 000 | 20 000 |
|  | NK | BUQ60 SF  | rPET | Ø 122 | 60  | 350 | 900   | 13 500 |
|  | NK | BUQ68 SF  | rPET | Ø 122 | 68  | 400 | 840   | 12 600 |
|  | NK | BUQ83 SF  | rPET | Ø 122 | 83  | 500 | 900   | 13 500 |
|  | NK | BUQ120 SF | rPET | Ø 122 | 120 | 750 | 840   | 12 600 |
|  | NK | BUQ125 SF | rPET | Ø 122 | 125 | 850 | 828   | 12 420 |





# POKEPACK

POKE BOWL: PRACTICAL,  
SAFE AND 100%  
ECO-DESIGNED

CARDBOARD BASES      rPET LIDS

FSC® certified cardboard  
base (FSC® C168260) by  
GUILLIN POLSKA  
Lid made from recycled and  
recyclable PET

## Features

- Sealable
- Anti-mist lid
- Freezing
- BASES micro-ondables

sealable round containers made from  
kraft cardboard with transparent lids

|  | KIV | CVPOTCAR601C    | rPET      | Ø 125 | 14 | -     | 600 | 14 400 |
|--|-----|-----------------|-----------|-------|----|-------|-----|--------|
|  | GP  | POTCART321C     | Cardboard | Ø 120 | 48 | 320   |     |        |
|  | GP  | POTCART501C     | Cardboard | Ø 120 | 70 | 500   | 600 | 9 600  |
|  | GP  | POTCART601C     | Cardboard | Ø 120 | 83 | 600   |     |        |
|  | KIV | CVPOTCAR1000C   | rPET      | Ø 155 | 25 | -     | 300 | 7 200  |
|  | GP  | POKEIN15250PETC | rPET      | Ø 147 | 20 | -     | 300 | 13 200 |
|  | GP  | POTCART500C     | Cardboard | Ø 150 | 47 | 500   |     |        |
|  | GP  | POTCART750C     | Cardboard | Ø 150 | 62 | 750   | 300 | 7 200  |
|  | GP  | POTCART1000C    | Cardboard | Ø 150 | 76 | 1 000 |     |        |
|  | KIV | CVPOTCART1300C  | rPET      | Ø 190 | 20 | -     | 300 | 5 400  |
|  | GP  | POKEIN18450PETC | rPET      | Ø 183 | 22 | -     | 300 | 13 200 |
|  | GP  | POTCART850C     | Cardboard | Ø 183 | 50 | 850   |     |        |
|  | GP  | POTCART1130C    | Cardboard | Ø 183 | 59 | 1 100 | 300 | 4 800  |
|  | GP  | POTCART1300C    | Cardboard | Ø 183 | 69 | 1 300 |     |        |

The lids are available in PP – See page 59.

sealable rectangular containers made from kraft cardboard with transparent lids

|  |     |                |           |           |    |       |     |       |
|--|-----|----------------|-----------|-----------|----|-------|-----|-------|
|  | KIV | CVPOTCART1002C | rPET      | 176 x 124 | 14 | -     | 300 | 4 800 |
|  | GP  | POTCART502C    | Cardboard | 172 x 120 | 40 | 500   |     |       |
|  | GP  | POTCART802C    | Cardboard | 172 x 120 | 57 | 800   | 300 | 9 000 |
|  | GP  | POTCART1002C   | Cardboard | 172 x 120 | 79 | 1 000 |     |       |

practical!

Rigid, stackable, easy to close and reliable.  
The shape of the lid means that a sleeve or label  
can be attached.  
The base can be customised.







RAVIPACK

SMOOTH DESIGN  
STRAIGHT-SIDED OR SALAD  
BOWL

rPET


Transparent for extra added  
value



\_MONO\_  
MATERIAL

format 13x18

sealable trays with straight sides

|  | DY | CVW1       | rPET | Lid                      | 18  | 560 | 6 720  |
|-------------------------------------------------------------------------------------|----|------------|------|--------------------------|-----|-----|--------|
|  | DY | W1813TS25  | rPET | 187 x 137                | 25  | 336 | 14 112 |
|                                                                                     | DY | W1813TS36  | rPET | 187 x 137                | 36  | 320 | 13 440 |
|                                                                                     | DY | W1813TS45  | rPET | 187 x 137                | 45  | 320 | 13 440 |
|                                                                                     | DY | W1813TS63  | rPET | 187 x 137                | 63  | 304 | 12 768 |
|                                                                                     | DY | W1813TS102 | rPET | 187 x 137<br>(pineapple) | 102 | 304 | 12 768 |

sealable trays with salad bowl design

|                                                                                     |    |            |      |                          |     |     |        |
|-------------------------------------------------------------------------------------|----|------------|------|--------------------------|-----|-----|--------|
|  | DY | R1813TS32  | rPET | 187 x 137                | 32  | 512 | 21 504 |
|                                                                                     | DY | R1813TS40  | rPET | 187 x 137                | 40  | 512 | 21 504 |
|                                                                                     | DY | R1813TS48  | rPET | 187 x 137                | 48  | 480 | 20 160 |
|                                                                                     | DY | R1813TS65  | rPET | 187 x 137                | 65  | 456 | 19 152 |
|                                                                                     | DY | R1813TS93  | rPET | 187 x 137                | 93  | 468 | 9 360  |
|                                                                                     | DY | R1813TS102 | rPET | 187 x 137<br>(pineapple) | 102 | -   |        |



Features

-  Sealable
-  MAP
-  Positive cold
-  Transparent


rPET

format 17x22

sealable trays with straight sides

|  | DY | W2217TS25 | rPET | 227 x 178 | 25 | 204 | 3 264 |
|---------------------------------------------------------------------------------------|----|-----------|------|-----------|----|-----|-------|
|                                                                                       | DY | W2217TS40 | rPET | 227 x 178 | 40 | 204 | 3 264 |
|                                                                                       | DY | W2217TS60 | rPET | 227 x 178 | 60 | 204 | 3 264 |
|                                                                                       | DY | W2217TS80 | rPET | 227 x 178 | 80 | 180 | 6 480 |

sealable trays with salad bowl design

|                                                                                       |    |           |      |           |    |     |       |
|---------------------------------------------------------------------------------------|----|-----------|------|-----------|----|-----|-------|
|  | DY | R2217TS50 | rPET | 227 x 178 | 50 | 312 | 4 992 |
|                                                                                       | DY | R2217TS60 | rPET | 227 x 178 | 60 | 312 | 4 992 |
|                                                                                       | DY | R2217TS80 | rPET | 227 x 178 | 80 | 180 | 2 880 |





# CRUDIPACK

SEALABLE BOWLS,  
INSERTS AND LIDS

rPET

The complete set for eating on  
the go



—MONO—  
MATERIAL

## format 10x10

sealable rPET square bowl

|  | DY | BOL1010 | 101 x 101 | 63 | 390 | 624 | 13 728 |
|--|----|---------|-----------|----|-----|-----|--------|

## format 10x14

FRESHIPACK top seal box with compatible separate lid

|  |  | CVFRSCH  | 150 x 111 | 14 | -   | 540 | 17 280 |
|--|--|----------|-----------|----|-----|-----|--------|
|  |  | FR500SCH | 147 x 108 | 45 | 500 | 540 | 17 280 |

## format 18x18

lid compatible with sealing system

|  | KIV | K-827 LID  | Lid<br>185 x 185   | 10 | -     | 780   | 7 020  |
|--|-----|------------|--------------------|----|-------|-------|--------|
|  | DY  | CP1818     | Insert<br>162 x 80 | 25 | -     | 1 960 | 47 040 |
|  | DY  | CP1818H40  | Insert<br>162 x 80 | 40 | -     | 1 960 | 47 040 |
|  | DY  | BOL1818H53 | 180 x 180          | 53 | 1 000 | 340   | 8 160  |
|  | DY  | BOL1818H70 | 180 x 180          | 70 | 1 500 | 328   | 7 872  |



## Features



Sealable



Positive cold



MAP



Transparent

sealable salad bowls and insert

|  | NK | IBO27 | 173 x 139 | 27 | -     | 990 | 23 760 |
|--|----|-------|-----------|----|-------|-----|--------|
|  | NK | BO-60 | Ø 188     | 60 | 1 000 | 308 | 6 160  |
|  | NK | BO-70 | Ø 188     | 70 | 1 250 | 308 | 6 160  |
|  | NK | BO-80 | Ø 188     | 80 | 1 375 | 292 | 5 840  |
|  | NK | BO-87 | Ø 188     | 87 | 1 500 | 292 | 5 840  |

sealable oval bowl, insert and lid

|  |     |          |                     |    |       |       |        | LISSE |
|--|-----|----------|---------------------|----|-------|-------|--------|-------|
|  | KIV | K825-LID | Lid<br>220 x 175    | 18 | -     | 660   | 7 920  |       |
|  | KIV | K825-3C  | Insert<br>185 x 145 | 30 | -     | 2 232 | 26 784 |       |
|  | KIV | K825     | 210 x 165           | 80 | 1 000 | 576   | 6 912  | ✓     |

sealable bowl

|  | KIV | K826 | 190 x 140 | 75 | 1 000 | 440 | 8 800 |
|--|-----|------|-----------|----|-------|-----|-------|





# CRUDIPACK

SEALABLE CONTAINERS  
AND LIDS

PP

Range suitable for use  
on automated industrial  
production lines



—MONO—  
MATERIAL

## Features

Sealable

MAP

Freezing  
-20°

Microwave

### translucent containers and lids

|  | DY | CVWS  | PP | Lid       | 14  | -     | 936 | 14 976 |
|--|----|-------|----|-----------|-----|-------|-----|--------|
|  | DY | WS372 | PP | 135 x 121 | 41  | 375   | 945 | 15 120 |
|  | DY | WS502 | PP | 135 x 121 | 56  | 500   | 900 | 14 400 |
|  | DY | WS692 | PP | 135 x 121 | 82  | 750   | 900 | 14 400 |
|  | DY | WS831 | PP | 135 x 121 | 104 | 1 000 | 780 | 14 040 |

### large format

|  |    |         |    |           |    |       |     |       |
|--|----|---------|----|-----------|----|-------|-----|-------|
|  | DY | CVWX    | PP | Lid       | 14 | -     | 400 | 6 400 |
|  | DY | WX 1400 | PP | 182 x 158 | 84 | 1 400 | 320 | 5 120 |



LUXIFOOD  
SUSHIS

HYBRID DELIBOX  
READY TO SERVE

CARDBOARD/PP  
BASES

rPET  
LIDS



Made in France, with a  
reduced carbon footprint  
Cardboard base eco-  
designed by ALPHAFORM  
and certified (FSC® C163957)  
Recyclable rPET lid  
containing recycled material

practical!

Easy to close and reliable with 8 clips.  
Rigid and stackable

black cardboard base with rPET lid

|  | AL | COVBC110C     | rPET           | 80 x 60   | -  | 800 | 24 000 |
|--|----|---------------|----------------|-----------|----|-----|--------|
|  | AL | BC110CAR109PP | CARDBOARD + PP | 80 x 60   | 40 | 800 | 43 200 |
|  | AL | COVBC230C     | rPET           | 170 x 60  | -  | 600 | 9 600  |
|  | AL | BC230CAR109PP | CARDBOARD + PP | 170 x 60  | 40 | 600 | 21 600 |
|  | AL | COVBC260C     | rPET           | 127 x 92  | -  | 400 | 9 600  |
|  | AL | BC260CAR109PP | CARDBOARD + PP | 127 x 92  | 40 | 400 | 21 600 |
|  | AL | COVBC365C     | rPET           | 160 x 105 | -  | 400 | 9 600  |
|  | AL | BC365CAR109PP | CARDBOARD + PP | 160 x 105 | 40 | 400 | 14 400 |
|  | AL | COVBC450C     | rPET           | 190 x 110 | -  | 400 | 6 400  |
|  | AL | BC450CAR109PP | CARDBOARD + PP | 190 x 110 | 40 | 400 | 14 400 |
|  | AL | COVBC1200C    | rPET           | 180 x 180 | 23 | 480 | 5 760  |
|  | AL | BC750CAR040PP | CARDBOARD + PP | 180 x 180 | 30 | 480 | 14 400 |



Interior: black – Exterior: natural

Can be customised for quantities of 20,000+





**DESIPACK MINI**  
 manufactured from  
**Prevented Ocean Plastic™**  
 certified by  
 Ocean Cycle®







DESIPACK  
MINI

SUSHI AND CANAPÉ CASE

rPET

CONTAINS



—MONO—  
MATERIAL







practical!

Studs on the lid ensure perfect stackability.

Features

 Anti-mist lid

| transparent or black bases and rPET POP lids                                        |    |           |          |  |  |  |  |
|-------------------------------------------------------------------------------------|----|-----------|----------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  | GE | DS1105H45 | rPET POP | 145 x 85                                                                            | 45                                                                                   | 864                                                                                   | 15 552                                                                                |
|  | GE | DS1105F10 | rPET POP | 145 x 85                                                                            | 20                                                                                   | 864                                                                                   | 41 472                                                                                |
|  | GE | DS1105F30 | rPET POP | 145 x 85                                                                            | 20                                                                                   | 864                                                                                   | 41 472                                                                                |
|  | GE | DS1406H45 | rPET POP | 170 x 90                                                                            | 45                                                                                   | 640                                                                                   | 12 800                                                                                |
|  | GE | DS1406F10 | rPET POP | 170 x 90                                                                            | 20                                                                                   | 640                                                                                   | 19 200                                                                                |
|  | GE | DS1406F30 | rPET POP | 170 x 90                                                                            | 20                                                                                   | 640                                                                                   | 19 200                                                                                |

| transparent or black bases and rPET POP lids                                          |    |           |          |  |  |  |  |
|---------------------------------------------------------------------------------------|----|-----------|----------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  | GE | DS1409H45 | rPET POP | 170 x 120                                                                             | 45                                                                                    | 810                                                                                   | 9 720                                                                                 |
|  | GE | DS1409F10 | rPET POP | 170 x 120                                                                             | 20                                                                                    | 810                                                                                   | 29 160                                                                                |
|  | GE | DS1409F30 | rPET POP | 170 x 120                                                                             | 20                                                                                    | 810                                                                                   | 29 160                                                                                |
|  | GE | DS1610H45 | rPET POP | 190 x 135                                                                             | 45                                                                                    | 480                                                                                   | 5 760                                                                                 |
|  | GE | DS1610F10 | rPET POP | 190 x 135                                                                             | 20                                                                                    | 480                                                                                   | 20 160                                                                                |
|  | GE | DS1610F30 | rPET POP | 190 x 135                                                                             | 20                                                                                    | 480                                                                                   | 20 160                                                                                |
|  | GE | DS1906H45 | rPET POP | 225 x 95                                                                              | 45                                                                                    | 560                                                                                   | 8 960                                                                                 |
|  | GE | DS1906F10 | rPET POP | 225 x 95                                                                              | 20                                                                                    | 560                                                                                   | 26 880                                                                                |
|  | GE | DS1906F30 | rPET POP | 225 x 95                                                                              | 20                                                                                    | 560                                                                                   | 26 880                                                                                |
|  | GE | DS1911H45 | rPET POP | 220 x 140                                                                             | 43                                                                                    | 400                                                                                   | 6 400                                                                                 |
|  | GE | DS1911F10 | rPET POP | 220 x 140                                                                             | 20                                                                                    | 400                                                                                   | 19 200                                                                                |
|  | GE | DS1911F30 | rPET POP | 220 x 140                                                                             | 20                                                                                    | 400                                                                                   | 19 200                                                                                |





SUSHIPACK



SUSHI BOX

rPET










MONO MATERIAL

stackable !












| black bases and transparent lids                                                      |    |                       |      |           |    |       |        |  |  |  |  |  |  |  |
|---------------------------------------------------------------------------------------|----|-----------------------|------|-----------|----|-------|--------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  | SA | TISLBFF – ST3<br>Lid  | rPET | 136 x 102 | 43 | 1 280 | 25 600 |                                                                                       | ✓                                                                                     | ✓                                                                                     |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
|                                                                                       | SA | TGISBFF – ST3<br>Base | rPET | 136 x 102 | –  | 1 800 | 36 000 | ✓                                                                                     |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       | ✓                                                                                     |
|  | SA | TILLBFF – ST4<br>Lid  | rPET | 194 x 139 | 43 | 900   | 18 000 |                                                                                       | ✓                                                                                     | ✓                                                                                     |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
|                                                                                       | SA | TGILBFF – ST4<br>Base | rPET | 194 x 139 | –  | 600   | 12 000 | ✓                                                                                     |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       | ✓                                                                                     |
|                                                                                       | SA | TIMLBFF – ST2<br>Lid  | rPET | 212 x 106 | 43 | 800   | 16 000 |                                                                                       | ✓                                                                                     | ✓                                                                                     |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
|                                                                                       | SA | TGIMBFF – ST2<br>Base | rPET | 212 x 106 | –  | 1 100 | 17 600 | ✓                                                                                     |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       | ✓                                                                                     |



# INDEX BY FORMATS AND BRANDS

|                                                                                     |                                           |       |                                                                                     |                                                              |       |
|-------------------------------------------------------------------------------------|-------------------------------------------|-------|-------------------------------------------------------------------------------------|--------------------------------------------------------------|-------|
|    | <b>DELIPACK</b><br>Ø 76/95/117            | 71    |    | <b>CRUDIPACK PP</b><br>Ø 135/180                             | 81    |
|    | <b>BOWLIPACK</b><br>Ø 90/97/117           | 57    |    | <b>RAVIPACK W</b><br>13x18                                   | 76    |
|    | <b>CRUDIPACK 10x10</b><br>BOL CARRÉ       | 78    |    | <b>MAPTIPACK W1 LISSE</b><br>13x18                           | 60    |
|  | <b>CRUDIPACK 18x18</b><br>BOL CARRÉ       | 78    |    | <b>RAVIPACK R</b><br>13x18                                   | 76    |
|  | <b>FRESHIPACK 10x14</b><br>TOP SEAL BOX   | 78    |  | <b>MAPTIPACK W1</b><br>13x18                                 | 61 76 |
|  | <b>TUSIPACK PP</b><br>Ø 101               | 54    |  | <b>FOOD K</b><br>13x16/13x18/14x10<br>14x19/15x23/18x25      | 51 67 |
|  | <b>TUSIPACK PP</b><br>Ø 115               | 55    |  | <b>MAPTIPACK</b><br>Ø 186                                    | 63    |
|  | <b>TUSIPACK PET</b><br>Ø 117              | 72    |  | <b>CRUDIPACK SALADIER</b><br>Ø 188                           | 79    |
|  | <b>TUSIPACK PET</b><br>Ø 122              | 73    |  | <b>CRUDIPACK</b><br>18x18                                    | 78    |
|  | <b>POKEPACK</b><br>Ø 120/150/190<br>12x17 | 59 75 |  | <b>MAPTIPACK</b><br>18x18                                    | 62    |
|                                                                                     |                                           |       |  | <b>LUXIFOOD SUSHIS</b><br>6x8/6x17/9x13<br>10x16/19x11/18x18 | 83    |

Ø in mm - LxW in cm

|                                                                                       |                                                             |       |                                                                                       |                                                  |    |
|---------------------------------------------------------------------------------------|-------------------------------------------------------------|-------|---------------------------------------------------------------------------------------|--------------------------------------------------|----|
|    | <b>DESIPACK MINI</b><br>8x14/9x17/12x17<br>13x19/9x22/14x22 | 87    |    | <b>RAVIPACK R</b><br>17x22                       | 77 |
|    | <b>SUSHIPACK</b><br>10x13/13x19/10x21                       | 89    |    | <b>RAVIPACK W</b><br>17x22                       | 77 |
|    | <b>CRUDIPACK OVAL</b><br>14x19/16x21                        | 79    |    | <b>MAPTIPACK 95/94</b><br>COMPARTIMENTÉ<br>18x23 | 65 |
|    | <b>GASTROPACK</b><br>9x13/13x19/19x23<br>19x26/26x32        | 46 47 |    | <b>MAPTIPACK W1 LISSE</b><br>18x23               | 64 |
|    | <b>MAPTIPACK POULTRY</b><br>17x10/21x12/21x16<br>19x27      | 49    |    | <b>MAPTIPACK W1</b><br>18x23                     | 38 |
|    | <b>MAPTIPACK ACP/W1</b><br>14x19                            | 33    |    | <b>MAPTIPACK ABP</b><br>18x23                    | 39 |
|  | <b>MAPTIPACK DY</b><br>15x23                                | 27    |  | <b>MAPTIPACK DY</b><br>18x25                     | 29 |
|  | <b>DUALIPACK</b><br>15x23                                   | 31    |  | <b>MAPTIPACK AF</b><br>18x25                     | 41 |
|  | <b>MAPTIPACK AE</b><br>15x23                                | 37    |  | <b>MAPTIPACK AFP SKIN</b><br>18x25               | 42 |
|  | <b>MAPTIPACK AES SKIN</b><br>15x23                          | 34    |  | <b>MAPTIPACK AFP</b><br>18x25                    | 43 |
|  | <b>MAPTIPACK AEP</b><br>15x23                               | 35    |  | <b>MAPTIPACK AR</b><br>13x32                     | 43 |
|  | <b>MAPTIPACK MAP</b><br>16x20                               | 34    |  | <b>MAPTIPACK AM</b><br>18x25                     | 44 |
|  | <b>MAPTIPACK DY</b><br>16x36                                | 29    |  | <b>MAPTIPACK AOP</b><br>21x30                    | 45 |

Ø in mm - LxW in cm



INDEX BY REFERENCE CODES

| REFERENCE | PAGE |         |    |               |    |
|-----------|------|---------|----|---------------|----|
| 761410419 | 54   | AE25H   | 37 | AF80 D        | 41 |
| 7610POPC  | 71   | AE30    | 37 | AF85          | 41 |
| 7615POPC  | 71   | AE30D   | 37 | AF85 D        | 41 |
| 7620POPC  | 71   | AE30H   | 37 | AF90          | 41 |
| 7625POPC  | 71   | AE35    | 37 | AF90 D        | 41 |
| 7699POPC  | 71   | AE35D   | 37 | AFP20SK       | 42 |
| 7920POPC  | 71   | AE38P   | 37 | AFP27SK       | 42 |
| 7927POPC  | 71   | AE40    | 37 | AFP-30D       | 43 |
| 7930POPC  | 71   | AE40D   | 37 | AFP-50D       | 43 |
| 7940POPC  | 71   | AE45    | 37 | AFP-80D       | 43 |
| 7999POPC  | 71   | AE45D   | 37 | AM60          | 44 |
| 8112PETC  | 72   | AE50    | 37 | AOP32         | 45 |
| 8113C     | 55   | AE55    | 37 | AOP52         | 45 |
| 8113PETC  | 72   | AE60    | 37 | AOP82         | 45 |
| 8114C     | 55   | AE80    | 37 | AR45D         | 43 |
| 8114PETC  | 72   | AE85    | 37 | AR50D         | 43 |
| 8115C     | 55   | AE90    | 37 |               |    |
| 8115PETC  | 72   | AEP-40D | 35 | B5H20CAR040   | 51 |
| 8116C     | 55   | AEP-50D | 35 | B5H20CAR040   | 67 |
| 8116PETC  | 72   | AEP-80D | 35 | B5H35CAR040   | 51 |
| 8117C     | 55   | AES15SK | 34 | B5H35CAR040   | 67 |
| 8117PETC  | 72   | AES20SK | 34 | B5H55CAR040   | 51 |
| 8118C     | 55   | AES27SK | 34 | B5H55CAR040   | 67 |
| 8118PETC  | 72   | AES35   | 34 | B6H20CAR040   | 51 |
| 8119C     | 55   | AES50   | 34 | B6H20CAR040   | 67 |
| 8119PETC  | 72   | AF25    | 41 | B6H35CAR040   | 51 |
| 8120C     | 55   | AF25 D  | 41 | B6H35CAR040   | 67 |
| 8120PETC  | 72   | AF27SK  | 42 | B6H55CAR040   | 51 |
| 8250PETC  | 72   | AF30    | 41 | B6H55CAR040   | 67 |
|           |      | A       |    | B-9400C       | 65 |
| ABP33     | 39   | AF35    | 41 | B-9410C       | 65 |
| ABP40     | 39   | AF35 D  | 41 | B-9420C       | 65 |
| ABP45     | 39   | AF40    | 41 | B-9500C       | 65 |
| ABP50     | 39   | AF40 D  | 41 | B-9510C       | 65 |
| ABP55     | 39   | AF45    | 41 | B-9520C       | 65 |
| ABP60     | 39   | AF45 D  | 41 | BC110CAR109PP | 83 |
| ABP85     | 39   | AF50    | 41 | BC230CAR109PP | 83 |
| ABP90     | 39   | AF50 D  | 41 | BC260CAR109PP | 83 |
| ACP36     | 33   | AF55    | 41 | BC365CAR109PP | 83 |
| ACP40     | 33   | AF55 D  | 41 | BC450CAR109PP | 83 |
| ACP50     | 33   | AF60    | 41 | BC750CAR040PP | 83 |
| ACP63     | 33   | AF60 D  | 41 | BO-60         | 79 |
| ACP70     | 33   | AF65    | 41 | BO-70         | 79 |
| ACP75     | 33   | AF65 D  | 41 | BO-80         | 79 |
| ACP80     | 33   | AF70    | 41 | BO-87         | 79 |
| AE20      | 37   | AF70 D  | 41 | BOL1010       | 78 |
| AE20D     | 37   | AF75    | 41 | BOL1818H53    | 78 |
| AE25      | 37   | AF75 D  | 41 | BOL1818H70    | 78 |
| AE25D     | 37   | AF80    | 41 | BUQ120 SF     | 73 |


|                     |    |                 |    |                    |    |               |    |
|---------------------|----|-----------------|----|--------------------|----|---------------|----|
| D-9520RC            | 65 | GA65M           | 47 | POTCART321C        | 59 | TUS250        | 54 |
| D-9530C             | 65 | GA72G           | 46 | POTCART321C        | 75 | TUS300C       | 54 |
| D-9530RC            | 65 | GA85G           | 46 | POTCART500C        | 59 | TUS400C       | 54 |
| DS1105F10           | 86 | GA95M           | 47 | POTCART500C        | 75 | TUS500C       | 54 |
| DS1105F30           | 86 | GM100           | 47 | POTCART501C        | 59 |               |    |
| DS1105H45           | 86 | GM105           | 47 | POTCART501C        | 75 | W1/600        | 61 |
| DS1406F10           | 86 | GM110           | 47 | POTCART502C        | 59 | W1/601A       | 61 |
| DS1406F30           | 86 | GM40            | 47 | POTCART502C        | 75 | W1/601R       | 33 |
| DS1406H45           | 86 | GM45            | 47 | POTCART601C        | 59 | W1/602        | 61 |
| DS1409F10           | 87 | GM50            | 47 | POTCART601C        | 75 | W1/602R       | 33 |
| DS1409F30           | 87 | GM55            | 47 | POTCART750C        | 59 | W1/603        | 61 |
| DS1409H45           | 87 | GM60            | 47 | POTCART750C        | 75 | W1/603R       | 33 |
| DS1610F10           | 87 | GM65            | 47 | POTCART802C        | 59 | W1/604        | 61 |
| DS1610F30           | 87 | GM70            | 47 | POTCART802C        | 75 | W1/604R       | 33 |
| DS1610H45           | 87 | GM75            | 47 | POTCART850C        | 59 | W1/607D       | 61 |
| DS1906F10           | 87 | GM80            | 47 | POTCART850C        | 75 | W1/608        | 61 |
| DS1906F30           | 87 | GM85            | 47 | PT2                | 49 | W1/616        | 61 |
| DS1906H45           | 87 | GM90            | 47 | PT3/25             | 49 | W1/620        | 64 |
| DS1911F10           | 87 | GM95            | 47 | PT3/35             | 49 | W1/620R       | 38 |
| DS1911F30           | 87 | GN2H52CAR040PP  | 67 | PT4/25             | 49 | W1/621        | 64 |
| DS1911H45           | 87 | GN3H48CAR040PP  | 67 | PT4/35             | 49 | W1/621R       | 38 |
| DU1523H40DY01 kraft | 31 | GN4H45CAR040PP  | 67 | PT6/45             | 49 | W1/622R       | 64 |
| DY1523CL28          | 27 | GN4H55CAR040PP  | 67 | PTC                | 49 | W1/622R       | 38 |
| DY1523CL35          | 27 | GN8H42CAR040PP  | 67 | PTG                | 49 | W1/623R       | 64 |
| DY1523CL50          | 27 |                 |    | PTU                | 49 | W1/623R       | 38 |
| DY1523CL60          | 27 | I               |    |                    |    | W1/624        | 64 |
| DY1523H22           | 27 | IBO27           | 79 | R                  |    |               |    |
| DY1523H32           | 27 |                 |    |                    |    |               |    |
| DY1523H50           | 27 | K825            | 79 | R1813TS102         | 76 | W1813TS102    | 76 |
| DY1523H85           | 27 | K825-3C         | 79 | R1813TS32          | 76 | W1813TS25     | 76 |
| DY1523SK13          | 27 | K825-LID        | 79 | R1813TS40          | 76 | W1813TS36     | 76 |
| DY1523SK20          | 27 | K826            | 79 | R1813TS48          | 76 | W1813TS45     | 76 |
| DY1523SK27          | 27 | K-827 LID       | 78 | R1813TS65          | 76 | W1813TS63     | 76 |
| DY1636H35           | 29 |                 |    | R1813TS93          | 76 | W1H25         | 60 |
| DY1636SK25          | 29 | L               |    | R2217TS50          | 77 | W1H36         | 60 |
| DY1825H32           | 29 | LBQ12           | 73 | R2217TS60          | 77 | W1H36/2       | 60 |
| DY1825H50           | 29 |                 |    | R2217TS80          | 77 | W1H44CAR040BG | 67 |
| DY1825H66           | 29 | M               |    |                    |    | W1H45         | 60 |
| DY1825SK13          | 29 | MAP20516040R    | 34 | S                  |    | W1H45/2       | 60 |
| DY1825SK20          | 29 | MAP20516050R    | 34 | SC1000CARK         | 57 | W1H50         | 60 |
| DY1825SK27          | 29 | MAP20516060R    | 34 | SC350CARK          | 57 | W1H55/2       | 60 |
|                     |    | MAP20516080R    | 34 | SC450CARK          | 57 | W1H63         | 60 |
|                     |    | MAP3CINS40BC    | 65 | SC750CARK          | 57 | W2/015PETC    | 72 |
|                     |    | MAP3CINS50BC    | 65 | SER117/400C        | 71 | W2/016C       | 55 |
|                     |    | MS186-60        | 63 | SER117/500C        | 71 | W2/016PETC    | 72 |
|                     |    | P               |    | SER117/600C        | 71 | W2/017C       | 55 |
| GA20G               | 46 | P7601POPC       | 71 | SER117/700C        | 71 | W2/021PETC    | 72 |
| GA20M               | 47 | P7900POPC       | 71 | SER117CV15C        | 71 | W2/030PETC    | 72 |
| GA25L               | 46 | P7901POPC       | 71 | Steamer Bowl 40    | 63 | W2217TS25     | 77 |
| GA30P               | 46 | P9400PPC        | 65 | Steamer Bowl 60    | 63 | W2217TS40     | 77 |
| GA35L               | 46 | POKEIN15250PETC | 75 |                    |    | W2217TS60     | 77 |
| GA35M               | 47 | POKEIN18450PETC | 75 | TGILBFF – ST4 Base | 89 | W2217TS80     | 77 |
| GA38G               | 46 | POTCART1000C    | 59 | TGIMBFF – ST2 base | 89 | WS 1818       | 62 |
| GA45P               | 46 | POTCART1000C    | 75 | TGISBFF – ST3 base | 89 | WS 1818H33    | 62 |
| GA50G               | 46 | POTCART1002C    | 59 | TILLBFF – ST4 Lid  | 89 | WS372         | 81 |
| GA50L               | 46 | POTCART1002C    | 75 | TIMLBFF – ST2 lid  | 89 | WS502         | 81 |
| GA50M               | 47 | POTCART1130C    | 59 | TISLBFF – ST3 Lid  | 89 | WS692         | 81 |
| GA63P               | 46 | POTCART1130C    | 75 | TUS125C            | 54 | WS831         | 81 |
| GA65L               | 46 | POTCART1300C    | 59 | TUS150C            | 54 | WX 1400       | 81 |
|                     |    | POTCART1300C    | 75 | TUS200C            | 54 |               |    |



# Contacts



# General terms and conditions for the sale of goods



# Certifications

All our certification programmes (BRC - ISO - FSC® Home Compost) ensure that our packaging solutions are guaranteed to protect food, people and the environment.

Graphic design: Atractiv  
Photo credits: Photos Lifestyle © Clément Siegfried / p12 © Hero Images Inc. / p14 © pexels - Shivam Tyagi

Printed on carbon-neutral presses by L'Imprimeur SIMON using VOC\*-free ink (\* Volatile Organic Compounds) on paper from sustainably managed forests.



November 2022







**#weprotectyourfood**